

# SAFETY DATA SHEET

Date Prepared : 01/28/2015

SDS No : E20

## elements Bio Solvent Degreaser

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** elements Bio Solvent Degreaser  
**GENERAL USE:** Heavy duty degreasing of oil-based soils.  
**PRODUCT DESCRIPTION:** High Active Soy Solvent  
**PRODUCT CODE:** E20  
**CHEMICAL FAMILY:** Solvent/detergent blend

#### MANUFACTURER

MISCO Products Corporation  
1048 Stinson Drive  
Reading, PA 19605

**Emergency Phone:** 610-926-4106

**Customer Service:** 800-548-4568

**Transportation:** 800-548-4568

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

**CHEM-TEL (Medical and Transportation):** 800-255-3924

**POISON CONTROL CENTER (Medical):** 800-222-1222

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

Skin Irritation, Category 2  
Serious Eye Damage, Category 1  
Target Organ Toxicity (Single exposure), Category 3, Respiratory tract irritation  
Carcinogenicity, Category 2  
Carcinogenicity, Category 2  
Acute Toxicity (Dermal), Category 4

##### Environmental:

Aquatic Toxicity, Category 2

##### Physical:

Flammable Liquids, Category 3

#### GHS LABEL



Corrosion



Health hazard



Flame



Exclamation mark

**SIGNAL WORD:** DANGER

#### HAZARD STATEMENTS

H318: Causes serious eye damage.  
H315: Causes skin irritation.  
H312: Harmful in contact with skin.  
H335: May cause respiratory irritation.  
H351: Suspected of causing cancer through dermal contact.  
H226: Flammable liquid and vapour.  
H401: Toxic to aquatic life.

#### PRECAUTIONARY STATEMENT(S)

##### Prevention:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233: Keep container tightly closed.  
P242: Use non-sparking tools.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P264: Wash hands thoroughly after handling.  
P261: Avoid breathing fume, gas, mist, vapors, or spray.  
P271: Use only outdoors or in a well-ventilated area.  
P202: Do not handle until all safety precautions have been read and understood.

**Response:**

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor/physician.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water  
P361: Take off immediately all contaminated clothing.  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P363: Wash contaminated clothing before reuse.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER or doctor/physician if you feel unwell.  
P308+P313: IF exposed or concerned: Get medical advice/ attention.  
P370+P378: In case of fire: Use dry chemical, foam or water mist to extinguish.

**Storage:**

P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Disposal:**

P501: Dispose of contents/container according to all local, state and Federal regulations.

**EMERGENCY OVERVIEW**

**PHYSICAL APPEARANCE:** Amber liquid

**IMMEDIATE CONCERNS:** Causes irreversible eye damage and skin burns.

**POTENTIAL HEALTH EFFECTS**

**EYES:** Corrosive, contact causes severe eye burns.

**SKIN:** Contact may cause moderate to severe irritation.

**SKIN ABSORPTION:** Harmful if absorbed through skin.

**INGESTION:** Harmful if swallowed.

**INHALATION:** Vapors are irritating to respiratory tract.

**REPRODUCTIVE TOXICITY**

**TERATOGENIC EFFECTS:** No listed substance

**CARCINOGENICITY:** Contains an ingredient listed under IARC Group 2B status.

**MUTAGENICITY:** No listed substance

**ROUTES OF ENTRY:** Eye, skin, ingestion, Inhalation.

**TARGET ORGAN STATEMENT:** Blood, kidney, liver, Central nervous system

**CANCER STATEMENT:** WARNING: This product contains a chemical known to the State of California to cause cancer.

**WARNING CAUTION LABELS:** Corrosive

**PHYSICAL HAZARDS:** Combustible material.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	Wt.%	CAS
Methyl Ether, soybean oil	40 - 45	67784-80-9
ethyl 2-hydroxypropionate, Ethyl-(S)-Lactate	20 - 25	97-64-3
Cocamide DEA	0 - 3	8051-30-7
Monoethanolamine	0 - 5	141-43-5
Ethoxylate Alcohol C9-11	0 - 5	68439-46-3
Primary Alcohol Ethoxylate C11	0 - 5	34398-01-1
Benzyl Alcohol	20 - 25	100-51-6

#### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

**SKIN:** Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Severe burning sensation, damage marked by burns.

**SKIN:** Burning sensation, redness.

**SKIN ABSORPTION:** Not Established

**INGESTION:** Irritation of mouth, throat, along with stomach upset, vomiting.

**INHALATION:** Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

**ACUTE TOXICITY:** Corrosive to eyes. Causes moderate to severe skin irritation. Harmful if inhaled.

**CHRONIC EFFECTS:** Not Established

#### 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** II (100-140F)

**GENERAL HAZARD:** Combustible Liquid

**EXTINGUISHING MEDIA:** Use Dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide from combustion

**EXPLOSION HAZARDS:** Fire exposed containers may burst due to increased pressure from heat.

**FIRE FIGHTING PROCEDURES:** Use an extinguishing agent suitable for surrounding fire.

**FIRE FIGHTING EQUIPMENT:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Not Established

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

**LARGE SPILL:** Shut off all ignition sources. Ventilate area. Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Avoid discharges into open waterways.

**LAND SPILL:** Avoid discharge to soil.

**AIR SPILL:** NA = Not Applicable

**GENERAL PROCEDURES:** Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-

combustible material and transfer to containers.

**RELEASE NOTES:** Eliminate all ignition sources. Ventilate area well.

**SPECIAL PROTECTIVE EQUIPMENT:** Eye protection, rubber gloves, rubber boots to protect feet.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Close container after use.

**HANDLING:** Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

**STORAGE:** Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store product away from food and water sources. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**STORAGE TEMPERATURE:** Store at ambient temperatures.

**STORAGE PRESSURE:** Store at ambient atmospheric pressure.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Monoethanolamine	TWA	3	6	3	7.5	NL	NL
	STEL			6	15	NL	NL
Benzyl Alcohol	TWA					10 ppm <sup>[1]</sup>	[1]

**Footnotes:**  
1. USA. Workplace Environmental Exposure levels (WEEL)

**ENGINEERING CONTROLS:** Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Chemical splash goggles and full face-shield.

**SKIN:** Rubber or other chemical resistant gloves.

**RESPIRATORY:** A respirator is not needed under normal and intended conditions of product use.

**PROTECTIVE CLOTHING:** Chemical resistant outerwear (tyvek) if contact with spray or mist is anticipated.

**WORK HYGIENIC PRACTICES:** Wash with soap and water after handling. Do not eat, drink or smoke while using product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Solvent, characteristic

**ODOR THRESHOLD:** Not Established

**COLOR:** Amber

**pH:** NA = Not Applicable

**PERCENT VOLATILE:** <30

**FLASH POINT AND METHOD:** 50.6°C (123°F) Tag Closed Cup (TCC)

**FLAMMABLE LIMITS:** 1.5 to 11.4

**AUTOIGNITION TEMPERATURE:** NA = Not Applicable

**VAPOR PRESSURE:** Not Established

**VAPOR DENSITY:** > 1 Air = 1

**BOILING POINT:** Not Established  
**FREEZING POINT:** Not Established  
**MELTING POINT:** NA = Not Applicable  
**THERMAL DECOMPOSITION:** Not Available  
**SOLUBILITY IN WATER:** Dispersable  
**EVAPORATION RATE:** (Water =1) <1.0  
**DENSITY:** 7.79 at 20°C (68°F)  
**SPECIFIC GRAVITY:** ~ 0.933 grams/ml.  
**VISCOSITY:** Slightly viscous.  
**(VOC):** 24.800 % by weight

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable  
**HAZARDOUS POLYMERIZATION:** Will not occur.  
**STABILITY:** Stable under normal storage and use conditions.  
**CONDITIONS TO AVOID:** Heat, flames and sparks.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.  
**INCOMPATIBLE MATERIALS:** Strong acids, oxidizers.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
ethyl 2-hydroxypropionate, Ethyl-(S)-Lactate	8200 mg/kg (rat)	> 5000 mg/kg (rabbit)	No data available
Monoethanolamine	1089 mg/kg (rat)	2504 mg/kg (rabbit)	~ 1.48 mg/l
Ethoxylate Alcohol C9-11	1400 mg/kg (rat)	> 5000 mg/kg (rat)	No data available
Primary Alcohol Ethoxylate C11	> 2000 mg/kg (rat)	> 2000 mg/kg (rabbit)	
Benzyl Alcohol	1230	2000	1000

**EYES:** Corrosive  
**DERMAL LD<sub>50</sub>:** Not Established  
**SKIN ABSORPTION:** Not Established  
**ORAL LD<sub>50</sub>:** Not Established  
**INHALATION LC<sub>50</sub>:** Not Established

**EYE EFFECTS:** Corrosive to eyes. Permanent damage may occur.

**SKIN EFFECTS:** Severe skin irritant. May cause burns to skin.

### CARCINOGENICITY

Chemical Name	IARC Status
Cocamide DEA	Group 2B - Limited evidence of carcinogenicity in humans.

**IARC:**

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of Cocamide DEA (coconut oil diethanolamine condensate) in humans, but there is sufficient evidence of carcinogenicity in experimental animals (Group 2B - possibly carcinogenic to humans).

**IRRITATION:** Irritant

**CORROSIVITY:** Corrosive

**SENSITIZATION:** No products were found.

**NEUROTOXICITY:** Not Established

**GENETIC EFFECTS:** No known significant effects or critical hazards.

**REPRODUCTIVE EFFECTS:** No known significant effects or critical hazards.

**TARGET ORGANS:** Vapors may harm respiratory tract.

**MUTAGENICITY:** No known significant effects or critical hazards.

**12. ECOLOGICAL INFORMATION**

**ENVIRONMENTAL DATA:** Not Established

**ECOTOXICOLOGICAL INFORMATION:** This product is toxic to fish.

**BIOACCUMULATION/ACCUMULATION:** Not Established

**AQUATIC TOXICITY (ACUTE):** Not Established

**96-HOUR LC<sub>50</sub>:** Not Established

**96-HOUR EC<sub>50</sub>:** Not Established

**CHEMICAL FATE INFORMATION:** Not Established

**13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of ignitibility as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

**FOR LARGE SPILLS:** Consult with local and state authorities for large volume disposal.

**PRODUCT DISPOSAL:** Any method in accordance with local, state, and federal laws. Best method is to recycle or reuse for intended purpose.

**EMPTY CONTAINER:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.

**RCRA/EPA WASTE INFORMATION:** Hazardous Waste

**RCRA HAZARD CLASS:** Ignitability

**14. TRANSPORT INFORMATION**

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Cleaning Compound, not regulated (for US domestic shipment only)

**PLACARDS:** No special requirements.

**LABEL:** No special requirements.

**OTHER SHIPPING INFORMATION:** No special requirements.

**SPECIAL SHIPPING NOTES:** None

**AIR (ICAO/IATA)**

**SHIPPING NAME:** Contact manufacturer for more information.

**VESSEL (IMO/IMDG)**

**SHIPPING NAME:** Contact manufacturer for more information.

**15. REGULATORY INFORMATION**

**UNITED STATES**

**DOT LABEL SYMBOL AND HAZARD CLASSIFICATION**

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**311/312 HAZARD CATEGORIES:** Health Hazard - Acute; Health Hazard -Chronic; Fire Hazard

**FIRE:** Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** Yes

**313 REPORTABLE INGREDIENTS:** No listed substance

**302/304 EMERGENCY PLANNING**

**EMERGENCY PLAN:** No listed substance

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

**TSCA REGULATORY:** All ingredients are listed on the TSCA Chemical Inventory.

**STATES WITH SPECIAL REQUIREMENTS**

Chemical Name	Requirements
Monoethanolamine	Massachusetts Right to Know Substance New Jersey Right To Know Substance New York Right to Know Substance Pennsylvania Right to Know Substance
Benzyl Alcohol	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance

**CALIFORNIA PROPOSITION 65:** WARNING: This product contains a chemical known to the State of California to cause cancer.

Chemical Name	Wt.%	Listed
Cocamide DEA	0 - 3	Cancer

**CARCINOGEN:**

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of Cocamide DEA (coconut oil diethanolamine condensate) in humans, but there is sufficient evidence of carcinogenicity in experimental animals (Group 2B - possibly carcinogenic to humans).

**16. OTHER INFORMATION**


**PREPARED BY:** Regulatory Affairs Department

**Date Prepared:** 01/28/2015

**HMIS RATING**

<b>HEALTH</b>	<input type="checkbox"/>	<b>3</b>
<b>FLAMMABILITY</b>	<input type="checkbox"/>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<input type="checkbox"/>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<input type="checkbox"/>	<b>D</b>

**NFPA CODES**



**MANUFACTURER DISCLAIMER:** This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.