

Distributor: Southern Maintenance Supply Co. Inc. 320 Page Street, Lynchburg, VA 24501 (434)847-4396

## 1. Product and Company Identification

**Product Code:** 4320  
**Product Name:** L.L. Sour/Soft  
**Company Name:** PDQ Manufacturing, Inc. **Phone Number:**  
201 Victory Circle (706)636-1848  
Ellijay, GA 30540  
**Web site address:** www.pdqonline.com  
**Emergency Contact:** Chemtrec, Use Company Code: A814 (800)424-9300  
**Information:** info@pdqonline.com (706)636-1848

## 2. Hazards Identification

**Acute Toxicity: Oral, Category 5**  
**Skin Corrosion/Irritation, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 1**



**GHS Signal Word:** **Danger**  
**GHS Hazard Phrases:** H303 - May be harmful if swallowed.  
H315 - Causes skin irritation.  
H318 - Causes serious eye damage.  
**GHS Precaution Phrases:** P264 - Wash hands thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
**GHS Response Phrases:** P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advise. Have product container or label with you when calling poison control center or physician.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P321 - Specific treatment see ... on this label.  
P332+313 - If skin irritation occurs, get medical advice/attention.  
P362 - Take off contaminated clothing and wash before re-use.  
**GHS Storage and Disposal Phrases:** No phrases apply.  
**Potential Health Effects (Acute and Chronic):** Hazards not otherwise classified (HNOC) or not covered by GHS.  
Chronic: None.  
**Inhalation:** No hazard expected in normal industrial use. May be harmful if inhaled. Causes respiratory tract irritation.  
**Skin Contact:** Ingestion can cause burning pain in mouth, throat and abdomen - May be fatal if ingested. Causes skin irritation.  
**Eye Contact:** Causes eye irritation.  
**Ingestion:** No hazard expected in normal industrial use. May be harmful if swallowed.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	5.0 -15.0 %
77-92-9	Citric acid	5.0 -10.0 %

### 4. First Aid Measures

<b>Emergency and First Aid Procedures:</b>	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
<b>In Case of Inhalation:</b>	No specific treatment is necessary since this material is not likely to be hazardous by inhalation.
<b>In Case of Skin Contact:</b>	Wash off with soap and plenty of water. Consult a physician.
<b>In Case of Eye Contact:</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>In Case of Ingestion:</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
<b>Signs and Symptoms Of Exposure:</b>	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Vomiting, Diarrhea. Damage to tooth enamel. Dermatitis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
<b>Note to Physician:</b>	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### 5. Fire Fighting Measures

<b>Flash Pt:</b>	
<b>Explosive Limits:</b>	LEL: UEL:
<b>Autoignition Pt:</b>	
<b>Suitable Extinguishing Media:</b>	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Not available.
<b>Fire Fighting Instructions:</b>	Wear self contained breathing apparatus for fire fighting if necessary. Further information. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.
<b>Flammable Properties and Hazards:</b>	Carbon oxides.

### 6. Accidental Release Measures

<b>Protective Precautions, Protective Equipment and Emergency Procedures:</b>	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.
<b>Environmental Precautions:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
<b>Steps To Be Taken In Case Material Is Released Or Spilled:</b>	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Environmental precautions. Do not let product enter drains.

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. No special handling procedures are required. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

**Precautions To Be Taken in Storing:** Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and store under inert gas. Hygroscopic. No special storage requirements.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy			
77-92-9	Citric acid			
<b>Respiratory Equipment (Specify Type):</b>	Respirator protection is not normally required.			
<b>Eye Protection:</b>	Safety glasses.			
<b>Protective Gloves:</b>	Handle with gloves.			
<b>Other Protective Clothing:</b>	Impervious clothing.			
<b>Engineering Controls (Ventilation etc.):</b>	There are no special ventilation requirements.			
<b>Work/Hygienic/Maintenance Practices:</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
<b>Environmental Exposure Controls:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.			

## 9. Physical and Chemical Properties

<b>Physical States:</b>	[ ] Gas [ X ] Liquid [ ] Solid	
<b>Appearance and Odor:</b>	Opaque blue liquid Fragrant odor.	
<b>Melting Point:</b>		
<b>Boiling Point:</b>		
<b>Autoignition Pt:</b>		
<b>Flash Pt:</b>		
<b>Explosive Limits:</b>	LEL:	UEL:
<b>Specific Gravity (Water = 1):</b>	~ 1.0	
<b>Vapor Pressure (vs. Air or mm Hg):</b>		
<b>Vapor Density (vs. Air = 1):</b>		
<b>Evaporation Rate:</b>		
<b>Solubility in Water:</b>	Complete	

**Viscosity:** Thin  
**pH:** 2-3 @ 1%  
**Percent Volatile:**

## 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** Heat, flames and sparks. Extremes of temperature and direct sunlight. No data available.  
**Incompatibility - Materials To Avoid:** Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids. None. Bases, Reducing agents, nitrates.  
**Hazardous Decomposition Or Byproducts:** Other decomposition products: No data available. In the event of fire: see section 5. None. formed under fire conditions. Carbon oxides.  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** Vapors may form explosive mixture with air.

## 11. Toxicological Information

**Toxicological Information:** Germ cell mutagenicity. No data available.  
Reproductive toxicity. Aspiration hazard: Epidemiology: Teratogenicity: No data available.  
Reproductive Effects: Neurotoxicity: Other Studies:  
**Irritation or Corrosion:** Skin corrosion/irritation. Provide adequate ventilation.  
Result: Serious eye damage/eye irritation: Result: Eye irritation - 24 h. Skin - rabbit - Mild skin irritation - -24 h.  
Eyes - rabbit - Severe eye irritation.  
**Sensitization:** No data available.  
**Chronic Toxicological Effects:** Specific target organ toxicity - single exposure: Inhalation. Oral. May cause drowsiness or dizziness.  
Specific target organ toxicity - repeated exposure: No data available.  
**Carcinogenicity/Other Information:** NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	n.a.	n.a.	n.a.	n.a.
77-92-9	Citric acid	n.a.	n.a.	n.a.	n.a.

## 12. Ecological Information

**Results of PBT and vPvB assessment:** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.  
**Persistence and Degradability:** No data available.  
**Bioaccumulative Potential:** No data available.  
**Mobility in Soil:** No data available.

### 13. Disposal Considerations

**Waste Disposal Method:** Product.  
 Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.  
 Contaminated packaging. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
 RCRA P-Series: None listed.  
 RCRA U-Series: None listed. Dispose of as unused product.

### 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Corrosive liquid, acidic, inorganic, n.o.s. ()  
**DOT Hazard Class:** 8 CORROSIVE  
**UN/NA Number:** UN3264 **Packing Group:** II



**LAND TRANSPORT (Canadian TDG):**

**TDG Shipping Name:** Not regulated under U.S. Department of Transportation regulations (29 CFR)

### 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	No	No	No
77-92-9	Citric acid	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No
77-92-9	Citric acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

## 16. Other Information

**Revision Date:** 02/09/2015  
**Preparer Name:** Regulatory Affairs

**Hazard Rating System:**

HEALTH		2
FLAMMABILITY		0
REACTIVITY		1
PPE		B

**HMIS:**

### Additional Information About

#### This Product:

#### Company Policy or

#### Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.