

Lazer

Revision: 01/30/2015

Distributor: Southern Maintenance Supply Co. Inc. 320 Page Street, Lynchburg, VA 24501 (434)847-4396

1. Product and Company Identification

Product Code:	4283	
Product Name:	Lazer	
Company Name:	PDQ Manufacturing, Inc. 201 Victory Circle Ellijay, GA 30540	Phone Number: (706)636-1848
Web site address:	www.pdqonline.com	
Emergency Contact:	Chemtrec, Use Company Code: A814	(800)424-9300
Information:	info@pdqonline.com	(706)636-1848

2. Hazards Identification

Acute Toxicity: Oral, Category 4
 Skin Corrosion/Irritation, Category 1A
 Skin Corrosion/Irritation, Category 1B
 Aquatic Toxicity (Acute), Category 1



GHS Signal Word:	Danger
GHS Hazard Phrases:	H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H400 - Very toxic to aquatic life.
GHS Precaution Phrases:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
GHS Response Phrases:	P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advise. Have product container or label with you when calling poison control center or physician. P310 - Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment see ... on this label. P330 - Rinse mouth. P363 - Wash contaminated clothing before reuse. P391 - Corrosive to skin - repeated or prolonged exposure may result in dermatitis or skin sensisation.
GHS Storage and Disposal Phrases:	P405 - Store locked up. P501 - Unused product is not a RCRA Hazardous waste. However, contaminated product and wastes may be RCRA hazardous. Users are advised to determine the appropriate disposal method based on local, state and federal regulations and comply with those regulations.

Potential Health Effects (Acute and Chronic):	Prolonged or repeated eye contact may cause conjunctivitis. Prolonged or repeated skin contact may cause dermatitis.
Inhalation:	Harmful if inhaled. Irritation may lead to chemical pneumonitis and pulmonary edema. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. Causes chemical burns to the respiratory tract. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. Aspiration may lead to pulmonary edema. May cause systemic effects.
Skin Contact:	May cause deep, penetrating ulcers of the skin. Causes severe burns with delayed tissue destruction. Causes redness and pain. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color. Causes skin irritation.
Eye Contact:	Causes severe eye burns. May cause irreversible eye injury. Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed. Causes redness and pain. May cause chemical conjunctivitis and corneal damage.
Ingestion:	Harmful if swallowed. Causes gastrointestinal tract burns. May cause circulatory system failure. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause systemic effects.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
1310-58-3	Potassium hydroxide {Caustic potash}	10.0 -20.0 %
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	1.0 -5.0 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen.
In Case of Skin Contact:	Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Discard contaminated clothing in a manner which limits further exposure. Destroy contaminated shoes.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed.
In Case of Ingestion:	If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.
Note to Physician:	None known.

5. Fire Fighting Measures

Flash Pt:

Explosive Limits: LEL: UEL:

Autoignition Pt:

Suitable Extinguishing Media: Use dry sand or earth to smother fire. Use extinguishing media appropriate to surrounding fire conditions.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Water reactive. Material will react with water and may release a flammable and/or toxic gas. Wear appropriate protective clothing to prevent contact with skin and eyes. Wear a self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. May ignite or explode on contact with steam or moist air. Oxidizer. Greatly increases the burning rate of combustible materials. Material will not burn.

Flammable Properties and Hazards:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

7. Handling and Storage

Precautions To Be Taken in Handling: Wash thoroughly after handling. Do not allow water to get into the container because of violent reaction. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. Do not allow contact with water. Discard contaminated shoes. Keep from contact with moist air and steam. Avoid breathing dust, mist, or vapor. Avoid contact with clothing and other combustible materials. Avoid ingestion and inhalation. Use with adequate ventilation.

Precautions To Be Taken in Storing: Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from water. Corrosives area.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-58-3	Potassium hydroxide {Caustic potash}		CEIL: 2 mg/m ³	
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}			
Respiratory Equipment (Specify Type):	Respirator protection is not normally required.			
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.			
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.			
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.			

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear, light yellow liquid
Chlorine odor.

Melting Point:

Boiling Point:

Autoignition Pt:

Flash Pt:

Explosive Limits: LEL: UEL:

Specific Gravity (Water = 1): ~ 1.1

**Vapor Pressure (vs. Air or
mm Hg):**

Vapor Density (vs. Air = 1):

Evaporation Rate:

Solubility in Water:

Viscosity: Thin

pH: > 12.5

Percent Volatile:

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

**Conditions To Avoid -
Instability:** Incompatible materials, Light.

**Incompatibility - Materials To
Avoid:** Avoid contact with acids, reducing agents, oxidizers, nitrogen oxides, amines, ammonia or other nitrogen containing compounds. Acids, methanol, Metals. Oxidizing agents, Reducing agents, Incompatible with alkalis, sol carbonates, gold and silver salts, lead acetate, lime water, potassium iodide, potassium and sodium tartrate, sodium borate, tannin, vegetable astringent infusions and decoctions. acids (organic, e.g. acetic acid, benzoic acid, formic acid, methanoic acid, oxalic acid), None.

**Hazardous Decomposition Or
Byproducts:** Oxides of potassium, hydrogen gas. Hydrogen chloride, chlorine, sodium oxide.

**Possibility of Hazardous
Reactions:** Will occur [] Will not occur [X]

**Conditions To Avoid -
Hazardous Reactions:**

11. Toxicological Information

Toxicological Information: Epidemiology: No information found.
Reproductive Effects: Mutagenicity: Neurotoxicity: No data available.

CAS# 7681-52-9:

Acute demal toxicity: LD50 rabbit
Dose > 2,000 mg/kg

Skin irritation: Rabbit
Non irritant

Eye irritation: Rabbit
minimal irritant, LD50, Oral, Mouse, 5800. MG/KG.

Results:

Behavioral: Change in motor activity (specific assay).

Gastrointestinal: Other changes.

- Shokuhin Eiseigaku Zasshi. Food Hygiene Journal., Nippon Shokuhin Eisei Gakkai, c/o Shokuhin Eisei Senta, 2-6-1 Jingumae, Shibuya-ku, Tokyo 150 Japan, Vol/p/yr: 27,553, 1986

Carcinogenicity/Other Information: CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7681-52-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-58-3	Potassium hydroxide {Caustic potash}	n.a.	n.a.	n.a.	n.a.
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information: Environmental: No information found.
Physical: No information found.
Other: No information available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium hypochlorite)
DOT Hazard Class: 8 CORROSIVE
UN/NA Number: UN3266 **Packing Group:** II



15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-58-3	Potassium hydroxide {Caustic potash}	No	Yes 1000 LB	No
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	No	Yes 100 LB	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1310-58-3	Potassium hydroxide {Caustic potash}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

16. Other Information

Revision Date: 01/30/2015
Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH		2
FLAMMABILITY		0
REACTIVITY		2
PPE	C	

HMIS:

Additional Information About This Product:

Company Policy or Disclaimer:

The information contained in this Material Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.