

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 100-000P

Product name Spring Lilac Metered Air Freshener

Effective date 22-Jun-2010

Company information Claire Manufacturing Co.

500 Vista Ave.

Addison, IL 60101 United States General Assistance 630-543-7600

Emergency telephone US 800-424-9300 **Emergency telephone outside US** 703-527-3887

Version # 02

Supersedes date 11-May-2010

2. Hazards Identification

Emergency overview Flammable. Aerosol. CONTENTS UNDER PRESSURE.

Harmful in contact with eyes. Prolonged exposure may cause chronic effects.

Potential health effects

Company phone

Routes of exposure Eye contact. Inhalation. Skin contact. Ingestion.

Eyes Contact may irritate or burn eyes. Eye contact may result in corneal injury.

Skin Health injuries are not known or expected under normal use.

InhalationIntentional misuse by concentrating and inhaling the product can be harmful or fatal.IngestionExposure by ingestion of an aerosol is unlikely. Components of the product may be

absorbed into the body by ingestion.

Target organs Central nervous system. Lungs.

Chronic effects Conjunctiva. May cause central nervous system disorder (e.g., narcosis involving a loss

of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.

May cause delayed lung injury.

Signs and symptoms Discomfort in the chest. Corneal damage. Narcosis. Coughing. Conjunctivitis.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Acetone	67-64-1	60 - 70
Propane	74-98-6	10 - 15
n-Butane	106-97-8	10 - 15
Non-hazardous and other components below reportable levels		2.5 - 10

4. First Aid Measures

First aid procedures

Eye contact Flush eyes immediately with large amounts of water. Get medical attention if irritation

develops and persists.

Skin contact Wash off with warm water and soap. Get medical attention if irritation develops and

persists.

Inhalation If inhalation of gas/fume/vapor/dust/mist from the material is excessive (air concentration

is greater than the TLV or health effects are noticed), immediately remove the affected

person(s) to fresh air. Get medical attention if symptoms persist.

In the unlikely event of swallowing contact a physician or poison control center.

5. Fire Fighting Measures

Flammable properties Runoff to sewer may cause fire or explosion hazard.

Product name: Spring Lilac Metered Air Freshener

MSDS US

A / 4

Protection of firefighters

Protective equipment and precautions for firefighters

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.

6. Accidental Release Measures

Methods for containment

Methods for cleaning up

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the

leak is irreparable. Stop the flow of material, if this is without risk.

Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Avoid contact with skin. Avoid prolonged exposure.

Storage

Contents under pressure. The pressure in sealed containers can increase under the influence of heat. Do not handle or store near an open flame, heat or other sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 3 Aerosol.

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

Components	CAS#	TWA	STEL	Ceiling
Acetone	67-64-1	500 ppm	750 ppm	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established

OSHA

Components	CAS#	TWA	STEL	Ceiling
Acetone	67-64-1	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established

Personal protective equipment

Eye / face protection

Do not get in eyes. Chemical goggles are recommended.

Skin protection

Wear appropriate chemical resistant clothing.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

9. Physical & Chemical Properties

Compressed liquefied gas. **Appearance**

82.4 °F (27.8 °C) estimated **Boiling point**

Not established. Color

Flammability (HOC) 32.5519 kJ/g estimated

Flash back No

-156 °F (-104.4 °C) Propellant Flash point

Form Aerosol. fruity Odor

Not applicable Ηq

Physical state Liquid.

45 - 65 psig @ 70f **Pressure**

Solubility Partially

Product #: 100-000P Revision date: 22-JUN-2010 Print date: 22-JUN-2010

10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition. Material is stable under normal conditions.

Heat, flames and sparks. Conditions to avoid

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological Information

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

Acetone 67-64-1 Oral LD50 Rat 5800 mg/kg 106-97-8 Inhalation LC50 Rat 658 mg/L 4 h n-Butane 74-98-6 Inhalation LC50 Rat 658 mg/L 4 h Propane

12. Ecological Information

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

Contents under pressure. Dispose of this material and its container to hazardous or **Disposal instructions**

special waste collection point. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all

applicable regulations.

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

Additional information:

Packaging exceptions 156, 306 156, 306 Packaging non bulk None Packaging bulk

IMDG

Basic shipping requirements:

Proper shipping name **AEROSOLS**

Hazard class 2.1 **UN** number 1950

Additional information:

LTD QTY **Packaging exceptions** None Labels required

IATA

Basic shipping requirements:

Proper shipping name Aerosols, flammable

2.1 Hazard class **UN number** 1950

Additional information:

LTD QTY **Packaging exceptions** Labels required 2.1





Product name: Spring Lilac Metered Air Freshener

Product #: 100-000P Revision date: 22-JUN-2010 Print date: 22-JUN-2010

15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

CERCLA (Superfund) reportable quantity

Acetone: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance

Section 311 hazardous chemical Yes

Hazard categories (311/312) Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Inventory status

Country(s) or region Inventory name On inventory (yes/no)* China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of New and Existing Chemicals (EINECS) Yes Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Existing Chemicals List (ECL) Korea No Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

Acetone 67-64-1 Environmental hazard

106-97-8 n-Butane Present Propane 74-98-6 Present

16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1

Flammability: 4 Physical hazard: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and

experience currently available.

MSDS sections updated Product and Company Identification: Product and Company Identification

Prepared by Regulatory Compliance

Product #: 100-000P Revision date: 22-JUN-2010 Print date: 22-JUN-2010